



WE LEAD®
PPF



Product
Catalogue

WWW.ULTRAGUARDINDIA.COM

WE LEAD PPF®

Subject	Page no
About Ultraguard	1 - 4
Our Commitment	5
Behind Ultraguard PPF	6-7
Why Choose Ultraguard?	8 - 11
Clear, Matte & Black Series PPF	12 - 21
Color Series PPF	22 - 25
Texture Series PPF	26 - 27
Ultraguard Custom Fit	28 - 29
Sunroof Protection Film	ALL NEW (IR REJECTION 96%) 30 - 31
NCT Window Film	32 - 34
Windshield PPF	ALL NEW (EPU BASED) 35 - 36
Ultraguard PPF Tools Tint Tools Accessories Instruments	37 - 42
Our Product Portfolio	43

Table of Contents

200+ COLOR AVAILABLE



SOLID & LIQUID
GLOSS COLOR PPF



METALLIC & FLIP-FLOP
COLOR PPF



MATTE/SATIN &
TEXTURE PPF

➤ ADD A SPLASH OF PERSONALITY & PROTECTION TO YOUR RIDE

UNMATCHED PROTECTION

Car enthusiasts frequently wrestle with the continuous incursion on their car's paint, stemming from factors such as driving your car on the road that lead to scratches, erratic weather, road debris, and the inevitable wear and tear of daily use. This can become a burdensome and expensive endeavour to preserve the vehicle's aesthetics. Every car owner knows the challenges of maintaining a vehicle's flawless exterior. From rock chips to insect stains, from UV damage to minor scratches, these issues can ruin the beauty of your prized possession.

Ultraguard comes with the answers to these problems, offering a wide selection of solutions, including clear, colored, textured protective films & matte finishes for a unique look, hydrophobic properties for lasting cleanliness, and self-healing capabilities to erase those frustrating imperfections.

Ultraguard PPF addresses these challenges head-on, providing not just protection but also peace of mind. Our films are engineered to shield your vehicle against these everyday adversaries, ensuring that your car's exterior remains as impressive as the day you drove it off the lot.

*Ultraguard
Paint Protection Film
products provide an
effective long-term
solution to prevent
vehicle paint damage.*

GATHERING THE WORLD'S TOP RESOURCES AND LEADING THE INDUSTRY



Lubrizol



Henkel



Ashland[®]
always solving



■ · BASF



WANHUA






About Manmachine Group:

Manmachine Group has established itself as a stalwart in the automotive care industry, earning trust through years of dedicated services. Our 37 Years journey has been marked by a dedicated commitment to quality and customer satisfaction, ensuring that every vehicle we touch reflects our excellence. Renowned for our pioneering approach, we've become synonymous with unparalleled cleaning and protection services, continually setting benchmarks in the automotive sector. Our reputation is not just maintained by our history but is renewed with each vehicle we service as we carry forward our legacy of being industry forerunners.

History:

Ultraguard's history is a story of evolution and innovation. Founded with a vision to revolutionize automotive protection, Ultraguard has continually pushed the boundaries of paint protection technology. Over the years, it has evolved into a trusted name in the industry, offering cutting-edge Paint Protection Films (PPF) that shield vehicles from the harshest elements and preserve their aesthetic beauty.







Our Commitment: At Ultraguard, our commitment is unwavering. We pledge to provide top-tier protection and preservation for your beloved vehicles. Our dedication is rooted in innovation, ensuring our Paint Protection Films (PPF) remain at the forefront of technology. Quality is our hallmark, with PPF crafted to the highest standards. Customer satisfaction is our guiding light, as we strive to exceed your expectations. Environmental responsibility is our duty, and we prioritize sustainable practices.

Expertise is our cornerstone, with a team of dedicated professionals applying their knowledge and skill to safeguard your vehicles. Ultraguard's commitment is a promise to keep your vehicles in pristine condition, and we stand by it with pride.

THE ADVANCED CHEMISTRY BEHIND ULTRAGUARD PPF

Ultraguard offers premium Paint Protection Films developed in collaboration with top-tier OEM manufacturers. Built in advanced facilities and tested through rigorous R&D, our films deliver exceptional clarity, durability, and self-healing performance.

From precision manufacturing to real-world reliability, Ultraguard combines innovation and quality to protect what moves you.



TAILORED ROLL LENGTHS

We offer customizable width and length conversions—producing shorter rolls for easier handling or longer jumbo rolls to boost production efficiency.



TAILORED COATING SOLUTIONS

Ultraguard provide custom coating services with a broad selection of adhesive and hard coat chemistries, compatible with various substrate options to suit your requirements.



ENGINEERED BY EXPERTISE

Our materials science experts collaborate closely with you to develop tailored PPF solutions, blending your technology with ours to deliver superior protection and performance.

COMPREHENSIVE OEM-GRADE PPF TESTING

Ultraguard Paint Protection Films undergo rigorous OEM-standard testing to ensure top-tier performance and durability. We offer a wide array of analytical, environmental, and application-specific tests designed to meet the highest industry benchmarks, including but not limited to:

VISUAL

- Gloss Index
- Transmission
- Haze Levels
- Stain & Chemical Resistance

ANALYTICAL

- Surface Energy & Hydrophobicity
- Elongation
- Surface Tack
- Abrasion Resistance

CHARACTERIZATION

- Accelerated Aging
- Thermogravimetric Analysis
- FTIR
- Self-Healing





FACTORS RISKING VEHICLE PAINT

The world of automotive beauty is a battle ground where your vehicles paint faces constant threats. From the relentless assault of weather elements to the unseen perils lurking on the road, every drive is a battle to maintain your car's pristine appearance.

So here are some of potentials risks that can compromise vehicle paint:

Accidental Scratches and Dings: Everyday mishaps in parking lot or on the road can lead to scratches and dents, diminishing the appearance of your vehicle.

Road Debris: Gravel, rocks, and even insects can chip, scratch, or dent your vehicle's paint. These seemingly minor issues can escalate into costly repairs.

Weather: Mother Nature is relentless. From the scorching sun's UV rays that cause fading to the corrosive effects of rain, snow, and hail, weather takes a toll on your car's exterior.


Environmental Contaminants: Airborne pollutants, tree sap, bird droppings, and industrial fallout are all culprits. They can leave unsightly stains and damage if left unchecked.

UV Radiation: Prolonged exposure to the sun's ultraviolet radiation can cause your paint to fade and lose its luster.



WHY CHOOSE ULTRAGUARD?

Every car owner knows the challenge of maintaining a vehicle's flawless exterior. From rock chips to insect stains, from UV damage to minor scratches, these issues can harm the beauty of your prized possession. Ultraguard PPF is the answer to these problems, offering a wide selection of solutions, including clear protective films, matte finishes for a unique look, hydrophobic properties for lasting cleanliness, and self-healing capabilities to erase those frustrating imperfections.



- Surface PET Protection Liner
- High Performance Heat-healing Clear Coating
- Thermoplastic Polyurethane (TPU) Film
- Acrylic Pressure Sensitive Glue
- Bottom PET Release Liner

ULTRAGUARD
ANTI-PROTECTION FILM



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Heat-Self
Healing



Strong
Adhesion



Shock
Absorbent

BENEFITS OF ULTRAGUARD PPF

In choosing Ultraguard, you're choosing more than just a brand; you're choosing sophistication, style, and the assurance that your vehicle's beauty remains unblemished. Elevate your ride, preserve your pride, and experience automotive care like never before.

Diverse Solutions: Ultraguard offers a versatile range of PPF, from crystal-clear to matte finish & color to texture finish, catering to individual preferences and styles.

Unmatched Protection: We provide unparalleled defense against weather, road debris, and everyday wear and tear, ensuring your car stays flawless.

Longevity: Ultraguard's PPF is engineered for durability, preserving your vehicle's shine for years and increasing its resale value.

Customer-Centric: Your satisfaction is our top priority. We take pride in exceeding your expectations by giving hassle-free online warranty.

ULTRAGUARD



CLEAR, MATTE & BLACK SERIES

CLEAR SERIES

Ultraguard Clear Paint Protection Film (PPF) emerges as the ultimate safeguard for your vehicle's immaculate exterior. This cutting-edge technology combines high-performance protection with crystal-clear visibility, ensuring that your car's aesthetics remain pristine. From rocks and road debris to bug splatters and UV rays, this advanced film is your car's first line of defense.

MATTE SERIES

Ultraguard Matte Paint Protection Film (PPF) stands out as a game-changer. This innovative technology seamlessly combines style and safeguarding, giving your vehicle a unique, non-reflective matte finish while offering unparalleled protection. Its non-reflective surface adds a touch of exclusivity while eliminating the sheen of conventional glossy paint.



BLACK SERIES

Ultraguard Black Paint Protection Film (PPF) stands as a testament to the perfect blend of style and protection. Black is not just a color; it's a statement of sophistication and individuality. This innovative technology redefines the art of safeguarding your vehicle's beauty while enhancing its unique look with Gloss Black and Matte Black PPF.

PRO GLOSS PPF (TPU - 5 YEARS)

(5 Years Warranty on Non-Yellowing)

Category	Value
Base Film Type	Wanhua Polycaprolactone TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40° - 120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 300%
Elongation Rate at Break (Hard Coating/MD)	> 110%



PRO MAX PPF (TPU - 8 YEARS)

(6 Years Warranty on Non-Yellowing)



100%
Heat self-healing



7 years
Warranty



60° Surface
Gloss - 97



Category

Value

Base Film Type	BASF Polycaprolactone Aliphatic TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40°-120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 320%
Elongation Rate at Break (Hard Coating/MD)	> 120%



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Heat-Self
Healing



Strong
Adhesion

TPU SUPREME CRYSTAL PPF (TPU - 10 YEARS)

(10 Years Warranty on Non-Yellowing)

ULTRAGUARD®
PAINT PROTECTION FILM

16

Category

Value

Base Film Type	Lubrizol Polycaprolactone TPU
Adhesive Type	Ashland Glue
Film Thickness	216 Micron
Film Specification	1.52*15m
Temperature Resistance	-40° - 120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 380%
Elongation Rate at Break (Hard Coating/MD)	> 160%



100%
Heat self-healing



10 years
Warranty



60° Surface
Gloss - 98



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Instant Self
Healing



Strong
Adhesion

TPU INSTANT HEALING PPF (TPU - 5 YEARS)

(Not advisable for White Color Car)



100%
Instant Self-healing



5 years
Warranty



60° Surface
Gloss - 98



Category

Value

Base Film Type	Wanhua Polycaprolactone TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40°-120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 300%
Elongation Rate at Break (Hard Coating/MD)	> 110%



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Instant Self
Healing



Strong
Adhesion

TPU MATTE PPF (TPU - 5 YEARS)

Category

Value

Base Film Type	Wanhua Polycaprolactone TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40° - 120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 300%
Elongation Rate at Break (Hard Coating/MD)	> 110%



100%
Heat self-healing



5 years
Warranty



Real Matte
Look



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Heat-Self
Healing



Strong
Adhesion

PRO SATIN PPF (TPU - 8 YEARS)



100%
Heat self-healing



8 years
Warranty



Real Satin
Look



Category

Value

Base Film Type	BASF Polycaprolactone Aliphatic TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40°-120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 320%
Elongation Rate at Break (Hard Coating/MD)	> 120%



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Heat-Self
Healing



Strong
Adhesion

TPU BLACK GLOSS PPF (TPU - 5 YEARS)

ULTRAGUARD[®]
PAINT PROTECTION FILM

20

Category

Value

Base Film Type	BASF Polycaprolactone Aliphatic TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40°-120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 380%
Elongation Rate at Break (Hard Coating/MD)	> 180%



100%
Heat self-healing



5 years
Warranty



60° Surface
Gloss - 97



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Heat-Self
Healing



Strong
Adhesion

PRO BLACK MATTE PPF (TPU - 5 YEARS)



100%
Heat self-healing



5 years
Warranty



Black Matte
Look



Category

Value

Base Film Type	BASF Polycaprolactone Aliphatic TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40° - 120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 380%
Elongation Rate at Break (Hard Coating/MD)	> 180%



No
Residue



Tough
& Strong



Scratch
Resistant



Clean Easily
& Convenient



Heat-Self
Healing



Strong
Adhesion

200+
COLOR AVAILABLE


ULTRAGUARD[®]
PAINT PROTECTION FILM


**BRING MORE VIVID COLOR
THAN ORIGINAL
CAR PAINT**



 **COLOR SERIES**

Ultraguard Color PPF features a 7-layer structure with triple TPU layers for superior strength, flexibility, and impact resistance. It includes a self-healing nano coat, a nano pigment colorant for vibrant, long-lasting color, and a strong adhesive layer, all protected by PET and release films for easy installation and long-term performance.

TRIPLE COLOR TPU | FILM STRUCTURE



COLOR PPF (TPU - 8 YEARS)

Imagine a world where your car isn't just protected; it's an expression of your style. Ultraguard Color PPF lets you explore a spectrum of vibrant colors and finishes, from classic shades to bold hues. Whether you want a glossy, metallic, color shifting or matte look, your car becomes your artistic masterpiece and gets a layer of protection on your OEM paint.

Category	Value
Base Film Type	BASF Polycaprolactone Aliphatic TPU
Adhesive Type	Ashland Glue
Film Thickness	200 Micron
Film Specification	1.52*16m
Temperature Resistance	-40°-120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 400%
Elongation Rate at Break (Hard Coating/MD)	> 200%



100%
Heat self-healing



8 years
Warranty



60° Surface
Gloss - 97



Boundless Style:

Underneath the dazzling exterior, Ultraguard Color PPF is a high-performance shield. It guards your vehicle against the usual suspects: rocks, debris, UV rays, and more.

Express Yourself:

Ultraguard Color PPF is an open invitation to unleash your creativity. Make your car stand out in the crowd, reflect your personality, or match your brand identity.

Protection:

Ultraguard Color PPF offers the best of both worlds – a durable, resilient shield that preserves your car's value and aesthetics.

REDEFINING VEHICLE AESTHETICS & PROTECTION

Discover the next level of automotive protection and style with Ultraguard – your ultimate destination for premium Paint Protection Films (PPF). **With 200+ stunning color options**, we offer one of the most diverse and vibrant PPF collections in the market today.

Choose from a wide variety of PPF types to suit your personal style and vehicle needs:

- **Solid & Liquid Metal Color PPF** – For a clean, bold look or a dynamic liquid metal effect that adds depth and brilliance.
- **Metallic & Flip-Flop Color PPF** – Experience colors that shift and shimmer with changing light, creating a truly dynamic look.
- **Matte, Satin & Texture PPF** – Add a unique touch with subtle finishes and textures that elevate your car's appeal while offering maximum protection.

Whether you're looking for high-gloss shine, head-turning flip effects, or a stealth matte finish, Ultraguard has the perfect solution to enhance and protect your ride.





 **TEXTURE SERIES**

FORGED CARBON PPF (TPU - 8 YEARS)

Ultraguard's latest Forged Carbon Fiber Paint Protection Film, now available in stunning red and silver forged colours. This cutting-edge PPF doesn't just shield your car; it elevates its aesthetic with a unique carbon fibre texture that's both tactile and visually dynamic. Transform your ride with the dual benefits of defence and style with Ultraguard's Forged Carbon PPF.

Category

Value

Base Film Type	BASF Polycaprolactone Aliphatic TPU
Adhesive Type	Ashland Glue
Film Thickness	200 Micron
Film Specification	1.52*16m
Temperature Resistance	-40° - 120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 400%
Elongation Rate at Break (Hard Coating/MD)	> 200%




100%
Heat self-healing



8 years
Warranty



60° Surface
Gloss - 97



Boundless Style:



Underneath the dazzling exterior, Ultraguard Forged Carbon PPF is a high-performance shield. It guards your vehicle against the usual suspects: rocks, debris, UV rays, and more.

Express Yourself:

Ultraguard Forged Carbon PPF is an open invitation to unleash your creativity. Make your car stand out in the crowd, reflect your personality, or match your brand identity.

Protection:

Ultraguard Forged Carbon PPF offers the best of both worlds – a durable, resilient shield that preserves your car's value and aesthetics.



 **CUSTOM FIT**


CUSTOM FIT PPF

ULTRAGUARD understands that protecting your vehicle should be easy, precise, and hassle-free. That's why we offer ULTRAGUARD Pre-Cut, a game-changing solution that ensures your Paint Protection Film (PPF) installation is a breeze. Our Pre-Cut PPF is precisely designed to fit your vehicle's make and model. You can trust that every curve and contour of your car will be seamlessly protected. ULTRAGUARD Pre-Cut comes ready for installation, saving you both time and effort. Your PPF is in expert hands, ensuring a smooth, professional finish. With ULTRAGUARD Pre-Cut, you don't just get PPF; you get peace of mind. Your vehicle's paint remains pristine, and the installation process is a stress-free experience.



BENEFITS :

- Unlimited accurate patterns
- Control film waste
- Fast product delivery
- Competitive pricing
- Easy installation & removal





ADD-ONS FEATURES
IR REJECTION 96%

 **TPU SUNROOF PPF**

TPU SUNROOF PPF

WITH IR REJECTION 96%

ULTRAGUARD
WINDOW FILM

31

Ultraguard Sunroof Protection Film (SPF) steps in as the ultimate solution to enhance your driving experience while safeguarding your sunroof. It comes with 96% IR rejection, effectively blocking heat and keeping your cabin cooler and more comfortable.

Category	Value
Base Film Type	Lubrizol Polycaprolactone Aliphatic TPU
Adhesive Type	Ashland Glue
Film Thickness	190 Micron
Film Specification	1.52*15m
Temperature Resistance	-40°-120°
Peel Adhesion	≤0.35 (N/25mm)
Yellowing Resistance	≤2
Anti Rock Chip Test	Pass
Anti-Stain	No Visible Stain
Elongation Rate at Break (TPU Film)	> 320%
Elongation Rate at Break (Hard Coating/MD)	> 120%


100%
Heat self-healing


7 years
Warranty


96% Heat
Rejection



TPU Sunroof PPF:

Protects your sunroof while rejecting 96% IR—for a cooler, safer, and glare-free drive.

Crystal-Clear Views:

Ultraguard TPU Sunroof PPF ensures that your sunroof stays as breathtaking as the day you drove it off the lot.

Custom Fit:

It installs seamlessly, ensuring a natural and sleek appearance that enhances your vehicle's aesthetics.

5%

35%

50%

70%
(BLUE, BLACK, GREEN)

80%
(BLUE)



NCT WINDOW FILM
IR Rejection Upto 94%



Disclaimer: Compliance with
CMVR Safety Glazing
CMV Rule 100 (2),(3) & (3A)
& IS 2553 (Part 2) (Revision 1):
2019

NCT WINDOW FILMS

When it comes to enhancing your driving experience, Ultraguard NCT Window Film are the Ultra Clear Nano Ceramic Film with excellent optical clarity via film's visible light transmission performance. It's a transformational element that offers numerous benefits, from comfort and style to protection and privacy. It's a shield against the sun's scorching heat, making your car cooler and more enjoyable, especially during the sweltering summer months.

Category	NCT-5	NCT-35	NCT-50	NCT-70 (Blue, Black, Green)	NCT-80 (Blue)	Sputter 05	Sputter 15
Thickness	2 mil	2 mil	2 mil	2 mil	2 mil	2 mil	2 mil
IR Rej: Infrared Rejection	95%	94%	96%	95%	90%	94%	95%
UV Rej: Ultraviolet Rejection	99%	99%	99%	99%	99%	99%	99%
Glare Reduction	90%	65%	39%	20%	19%	92%	81%
Film Specification	1.52*30m	1.52*30m	1.52*30m	1.52*30m	1.52*30m	1.52*30m	1.52*30m
Films Roll Size	500 sq. ft	500 sq. ft	500 sq. ft	500 sq. ft	500 sq. ft	500 sq. ft	500 sq. ft
VLT: Visible Light Transmission	5%	35%	50%	70%	80%	8%	16%
VLR: Visible Light Reflection	9%	8%	10%	9%	9%	8%	8%
TSER: Total Solar Energy Rejected	83%	69%	59%	57%	52%	78%	75%
SR Hardness	>2H	>2H	>2H	>2H	>2H	>2H	>2H



>99%
UV Rejection



8 years
Warranty



Scratch
Resistant



Glare Reduction:

Ultraguard Window Tint significantly reduces glare, improving visibility and safety. Reduced glare ensures a clear view of the road and surroundings, making your journeys safer and more relaxed.

UV Protection:

Harmful UV rays are blocked, reducing the risk of skin damage and the fading and deterioration of your vehicle's interior. This protection is not just about preserving your car's aesthetics but also ensuring your well-being.

Privacy Without Compromise:

Ultraguard Window Tint provides added privacy without sacrificing visibility. It shields your vehicle's interior from prying eyes, ensuring your personal space remains private.

NCT WINDOW FILMS (KITS)



34

Ultraguard NCT Window Film is a high-performance Nano Ceramic Film offering ultra-clear visibility, heat reduction, and enhanced privacy. With excellent optical clarity and high light transmission, it keeps your car cooler and more comfortable—available in a convenient Single Car Kit for easy installation.

NANO CERAMIC TINT SAFETY GLAZING WINDOW FILM

Available Kit

NCT-80 (Blue) | NCT-70 (Black) | NCT-70 (Blue)
NCT-50 | NCT-35 | NCT-5

Benefits Of Single Kit

All-in-One Convenience

Includes everything needed to cover one vehicle no extra purchases required.

Easy DIY Installation

Pre-cut and ready-to-apply film makes installation simple and hassle-free.

Perfect Fit

Tailored sizing ensures a clean and seamless look for your vehicle.

Cost-Effective

Affordable solution for full car protection without compromising on quality.

Professional-Grade Quality

Some high-performance Nano Ceramic film used by professionals.

Quick Upgrade

Instantly improves heat rejection, privacy, and style in just one go.



Disclaimer: Compliance with CMVR Safety
Glazing CMV Rule 100 (2),(3) & (3A) &
IS 2553 (Part 2) (Revision 1): 2019

ROLL SIZE:

36 X 60 Inch (1 Pcs)



ROLL SIZE:

20 X 140 Inch (1 Pcs) | 30 X 60 Inch (1 Pc)



Safety & Durability

Provides Additional safety
if the glass shatter & no need
to worry about delamination



Solar Rejection

Keeping you cool inside
from the heat outside



Installation Friendly

Seamless installation
process



Unmatched Clarity

Very low internal reflection
with no effect of hazing



Special Acrylic Adhesive

Acrylic based adhesive,
leaving no residue after
removal



Glare Reduction

Sun visors are a thing of
the past

NEW ARRIVAL

EPU BASED



WINDSHIELD PPF

WINDSHIELD PROTECTION FILMS



36

Ultraguard presents its EPU-Based Windshield Protection Film (WPF), engineered to shield your windshield from stone chips, debris, and daily wear. Applied externally, it offers long-lasting clarity with hydrophobic performance, scratch resistance, self-healing, and zero delamination.

Category	Value
Tensile Strength	45.7 Mpa
Elongation At Break	258%
180° Initial Adhesion (20min)	6.32 N/inch
180° Peel Strength (24h)	8.73 N/inch
Ring Form Initial Adhesion	14.62 N/inch
Modulus Of Elasticity (100 Strain)	7.1 Mpa
Gloss (60°)	140.7°
The Angle Of Water D	104.3%
Haze	0.28%
B- Value	0.29
Visible Light Transmittance (VLT)	100%
Wave	No Orange peel
UV Rejection	95%



100%
self-healing



12 Months
Warranty



95% UV
Rejection



Durability

Built to withstand heat, impact, and weather without peeling or cracking—long-lasting protection that stays strong over time.



Glare Reduction

Say goodbye to sun visors—our film reduces glare, giving you a clearer, more comfortable driving experience, even on the brightest days.



Self-Healing

Whether it's stone chips or gravel, the film repairs minor scratches on its own—offering protection against the unexpected, every time.



Solar Rejection

Blocks harmful UV rays and heat buildup—keeping your cabin cooler and more comfortable, even under the harshest sun.



ULTRAGUARD - PPF TOOLS | TINT TOOLS | ACCESSORIES | INSTRUMENTS

ULTRAGUARD PPF TOOLS



Alpha Knife



Carbon Blade (10 Pcs/Box)



PPF Squeeze
(3 Pcs/Set | Colors: Pink, Green, Blue)



PPF Test Brass Brush



Car Logo Remover Tool



Vinyl Installation Tool



Interior Disassembly and Assembly Tool


ULTRAGUARD TINT TOOLS



Stainless Steel Blade (10 Pcs/Box)



Window Tinting: Glass Cleaning Spatula



Window Tinting Filter



Multi Color Squeeze



Glass Magnetic Sticker (Pack of 4)



Car Soak Shield Rope



Orange/Blue Max Squeeze



Tinting Dashboard Microfiber Towel (30" x 70 Inch)



Window Tinting Triangular Scraper

ULTRAGUARD ACCESSORIES



PPF Rolls Hanging Rack (8 Strips)



Automatic Pressure Relief Sprinkler (2L)



Masking Tape (20mm*20m | 12pcs/Set)



Wheel Cover



Masking Film (3.8ft*100ft)



Magnetic Locator



Black Sprayer Bottle



Door Handle Wrap Tool



Ultraguard Formal Shirt



Ultraguard T-Shirt



Ultraguard T-Shirt (PPF Expert)

ULTRAGUARD INSTRUMENTS



Clarity Tester



Baking Lamp Set



Car Insulation Film Tester



PPF Water Sprinkler Display



PPF Stretching Instrument



PPF Impact Tester



Small Glass Display for Tints



PPF Puncture Test Tool



PPF Thickness Meter (0.00 mm)



PPF Thickness Meter (0.001 mm)



Wrapping Paper Rolls Cutter

ULTRAGUARD INSTRUMENTS



Feather Flags



Manual Paint Mask Test Bench



Color Changing Film Display Board



Canopy Display Model



Canopy Glass Display Model



Mini Cover Case for Testing



High Pressure Watering Can



Solar Film Test Meter



Solar Film Test Meter



@Ultraguardindia

Follow &
Subscribe us



@Ultraguardindia

PRODUCT PORTFOLIO

Ultraguard delivers a complete range of high-performance vehicle protection films. From Clear, Matte, Black, and over 200+ Color PPF options to unique Texture Series finishes, we combine style with durability. Our portfolio also includes specialized Windshield and Sunroof PPF, along with NCT Window Films and pre-cut NCT Film Kits for superior UV, heat, and glare protection. Ultraguard—where protection meets perfection.

For more information
Scan the QR Code





WE LEAD PPF



MANMACHINE AUTOMOTIVE PVT. LTD.

D-120, Sector 63, Noida, Uttar Pradesh - 201301

Call us: +91 93-10000-356

Email: info@ultraguardindia.com
info@manmachineautomotive.com